

7-30-2002

PVC-CAT-019-E-016-001-MTE

Kassia Randzio
Kenyon College

Follow this and additional works at: <https://digital.kenyon.edu/honduras>



Part of the Archaeological Anthropology Commons

Recommended Citation

Randzio, Kassia, "PVC-CAT-019-E-016-001-MTE" (2002). *Four Valleys Archive*. Paper 79908.
<https://digital.kenyon.edu/honduras/79908>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE CACAULAPA
CATALOG FORM

DATE: 30-July-2002

LOT NUMBER: 19E/016

SUBSTANCE: Stone

OBJECT: Metate

CATALOG #: 19E/016-1 MULTIPLES? 3 DRAWN BY: — CATALOGED BY: 31,

EXCAVATOR: 42 SURFACE HGT/LENGTH: 34.8 WIDTH: 21.7 THICKNESS: 3.9

LEG(S) HGT/LENGTH: 11.2 WIDTH: 4.1 THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

L-15.9; W-6.9 / 10.7 x 4.9

VERBAL DESCRIPTION: This is a ~~whole~~ partial metate. It is a ~~finished item~~ — an unfinished item — can't tell.

It is: a working surface only — a working surface with 1-2-~~3~~-4 legs — a leg only.

For a working surface: The surface: does — does not show manufacturing marks — can't tell. If it does, they are (mark all that are appropriate): pecking — striations — ~~grinding~~ — ~~smoothing~~ — polishing.

There: ~~is~~ is not a clear working surface — can't tell. If a working surface is visible, it is: ~~smoothed only~~ — shows both smoothing and use polish — shows use polish only.

The use area: ~~does~~ — does not extend to the side edge/edges
~~does~~ — does not extend to the top and/or bottom edge(s)

The area showing use measures: 34.8 x 21.7

For the underside: ~~It does~~ — does not show manufacturing marks — can't tell. If it does, they are (mark all that are appropriate): pecking — striations — ~~grinding~~ — ~~smoothing~~ — polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) — rounded — ~~flattened~~ — battered and/or chipped — damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: ~~complete~~ — a distal/end portion — a proximal (near the underside) portion.

Other legs are: , all complete

On the opposite side of the page, draw/trace the cross section at the base, if it preserved; draw/trace the shape near the junction with the underside.

The leg(s) does — does not have manufacturing marks — can't tell. If they are present, they include: pecking — striations — ~~grinding~~ — ~~smoothing~~ — polishing.

If broken, the broken surface is: ~~unaltered~~ — worn — battered — chipped — can't tell.

Comments:

Smoothing / polish base of legs (feet)

195/010

20-July-2005

25
21
21.5

2.8
1.8

195/010-1
4.5

1.5

1.5 x 2.0

1.5 x 2.0



2.8 x 2.8



at least 10



(at least 10) for each of the 1000.