

2004

PVN-CAT-202-EJ-038-002-MTE

Edward M. Schortman
schortma@kenyon.edu

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

Recommended Citation

Schortman, Edward M., "PVN-CAT-202-EJ-038-002-MTE" (2004). *Four Valleys Archive*. Paper 91460.
<https://digital.kenyon.edu/honduras/91460>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE CACAULAPA
CATALOG FORM

DATE: 6/29/09

LOT NUMBER: 202 EJ/038

SUBSTANCE: Stone

OBJECT: Metate

CATALOG #: 202 EJ/038-2 MULTIPLES? — DRAWN BY: 1 CATALOGED BY: 1

EXCAVATOR: SURFACE HGT/LENGTH: 8.9cm WIDTH: 10.7cm THICKNESS: 3.8cm

LEG(S) HGT/LENGTH: 3.8cm WIDTH: 7.5cm THICKNESS: 7.4cm

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole — partial metate. It is a finished item — an unfinished item — can't tell.

It is: a working surface only — a working surface with 1-2-3-4 legs — a leg only.

For a working surface: The surface: does — does not show manufacturing marks — can't tell. If it does, they are (mark all that are appropriate): pecking — striations — grinding — smoothing — polishing.

There: is — is not a clear working surface — can't tell. If a working surface is visible, it is: smoothed only — shows both smoothing and use polish — shows use polish only.

The use area: does — does not extend to the side edge/edges
does — does not extend to the top and/or bottom edge(s)

The area showing use measures: 3.8 x 7.5cm

For the underside: It does — does not show manufacturing marks — can't tell. If it does, they are (mark all that are appropriate): pecking — striations — grinding — smoothing — polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) — rounded — flattened — battered and/or chipped — damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete — a distal/end portion — a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved; draw/trace the shape near the junction with the underside.

The leg(s) does — does not have manufacturing marks — can't tell. If they are present, they include: pecking — striations — grinding — smoothing — polishing.

If broken, the broken surface is: unaltered — worn — battered — chipped — can't tell.

Comments:

vesicular basalt, very little use polish on the working surface.

442 1 100 100 100 100 100 100
100 100 100 100 100 100

100 100

100 100

working surface

Bank

edge

Leg

Bank

1:1

