

2004

PVN-CAT-202-DO-016-002-MTE

Edward M. Schortman
schortma@kenyon.edu

Follow this and additional works at: <https://digital.kenyon.edu/honduras>



Part of the Archaeological Anthropology Commons

Recommended Citation

Schortman, Edward M., "PVN-CAT-202-DO-016-002-MTE" (2004). *Four Valleys Archive*. Paper 91436.
<https://digital.kenyon.edu/honduras/91436>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE CACAULAPA
CATALOG FORM

DATE: 6/29/09 LOT NUMBER: 20200/d16
SUBSTANCE: Stone OBJECT: Metate
CATALOG #: 20200/d16² MULTIPLES? — DRAWN BY: | CATALOGED BY: |
EXCAVATOR: SURFACE HGT/LENGTH: 10.6cm. WIDTH: 7.2cm. THICKNESS: 4cm
LEG(S) HGT/LENGTH: WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole — partial metate. It is a finished item — an unfinished item — can't tell.

It is: a working surface only — a working surface with 1-2-3-4 legs — a leg only.

For a working surface: The surface: does — does not show manufacturing marks — can't tell. If it does, they are (mark all that are appropriate): pecking — striations — grinding — smoothing — polishing.

There: is — is not a clear working surface — can't tell. If a working surface is visible, it is: smoothed only — shows both smoothing and use polish — shows use polish only.

The use area: does — does not extend to the side edge/edges
does — does not extend to the top and/or bottom edge(s)

The area showing use measures: 7.2 x 10.6cm

For the underside: It does — does not show manufacturing marks — can't tell. If it does, they are (mark all that are appropriate): pecking — striations — grinding — smoothing — polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) — rounded — flattened — battered and/or chipped — damaged in some other way. 1 for each edge

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete — a distal/end portion — a proximal (near the underside) portion.

Other legs are:


On the opposite side of the page, draw/trace the cross section at the base, if it preserved; draw/trace the shape near the junction with the underside.

The leg(s) does — does not have manufacturing marks — can't tell. If they are present, they include: pecking — striations — grinding — smoothing — polishing.

If broken, the broken surface is: unaltered — worn — battered — chipped — can't tell.


Comments: vesicular basalt; shows little sign of use — possibly not finished

working surface



head-on

working surface



side