

2004

PVN-CAT-202-EG-008-002-PTSTND

Edward schortman

Kenyon College, schortma@kenyon.edu

Follow this and additional works at: <https://digital.kenyon.edu/honduras>



Part of the Archaeological Anthropology Commons

Recommended Citation

schortman, Edward, "PVN-CAT-202-EG-008-002-PTSTND" (2004). *Four Valleys Archive*. Paper 91922.
<https://digital.kenyon.edu/honduras/91922>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE CACAULAPA
CATALOG FORM

DATE: 06/04/04

LOT NUMBER: 2F 2EG/448

SUBSTANCE: Ceramic

OBJECT: Potstand

CATALOG #: 242 EG/448-23 MULTIPLES? 3 DRAWN BY: 1

CERAMIC PASTE GROUP: n/a EXCAVATOR: CATALOGED BY: 1

HGT/LENGTH: 6.6 cm. WIDTH: 19.5 cm. THICKNESS: BASE: 2.0 cm. neck: 1.1 cm.

VERBAL DESCRIPTION: Potstand is: complete ~~incomplete~~
Record the diameter and percent preserved: 25 cm (22% (base)); 17 cm / 42% (top)

Vessel form, if discernable: —

Ceramic type-variety used: SAN JOAQUIN

Number of finished edges preserved: 0 - ① - 2 - can't tell

How was the upper edge formed? 1. Smoothing the broken edge of a vessel 2. Grinding flat an edge of a vessel ③
The edge was made originally in this shape 4. Can't tell

How was the lower edge formed? 1. Smoothing the broken edge of a vessel 2. Grinding flat an edge of a vessel ③
The edge was made originally in this shape 4. Can't tell

The — upper — lower — both — neither — edge(s) is/are chipped

Clay from making other vessels is baked on the exterior — interior — both sides — neither side

How many layers of clay are there? 1 — more than one (give the number): —

Give the Munsell designation for the clay color: —

Is the color of the stand altered from reheating: yes — ⑩ — can't tell

Give the Munsell designation for the stand: paste interior— 7.5YR6/6 paste exterior— 7.5YR6/4

Is there use wear: yes — ⑩ .

Describe the location and nature of the use wear if present:

The piece is: slightly moderately - very - extremely - eroded / is not eroded.

Not drawn - Drawn - where?. Back

Comments: STRIATED in various directions on both sides; thick, centrally located firing core; Flat top is smoothed into that core; 'A' basal lip

