
Four Valleys Archive

Anthropology

2006

EPV CAT 09-09-41 Ground stone (1)

Mary Hostenske

Follow this and additional works at: <https://digital.kenyon.edu/honduras>



Part of the Archaeological Anthropology Commons

Recommended Citation

Hostenske, Mary, "EPV CAT 09-09-41 Ground stone (1)" (2006). *Four Valleys Archive*. Paper 95906.
<https://digital.kenyon.edu/honduras/95906>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 9/9/41

SUBSTANCE: Tuff

OBJECT: grinding stone

CATALOG #: 9/9/41-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR:

LENGTH: 6cm WIDTH: 5cm THICKNESS: 3cm

VERBAL DESCRIPTION:

This is a stone that was used on one side. The use area is smooth and is 5cm by 4cm.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 02/60/18

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/60/18-1

DRAWN BY: 17 CATALOGED BY: 17 MKA

EXCAVATOR: 32 SURFACE HGT/LENGTH: 9cm WIDTH: 8cm THICKNESS: 4cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/57/05

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/57/5-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34 SURFACE HGT/LENGTH: - WIDTH: - THICKNESS: 4cm

LEG(S) HGT/LENGTH: WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

this is a chip from the curved underside of a metate; no edge/surface remains

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/38/55

SUBSTANCE: basalt

OBJECT: grinding stone

CATALOG #: 2/38/55-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 30

LENGTH: 11cm WIDTH: 8cm THICKNESS: 5cm

VERBAL DESCRIPTION:

A rock with use wear on one side. The area is smoothed only. It is 8cm by 6cm.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/35/06

SUBSTANCE: basalt

OBJECT: grinding stone

CATALOG #: 2/35/6-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32

LENGTH: 6cm WIDTH: 5cm THICKNESS: 4cm

VERBAL DESCRIPTION:

This is a stone with one area of use on it. The area is 4cm by 4cm and is smoothed.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/58/53

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/58/53-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 31 SURFACE HGT/LENGTH: 4cm WIDTH: 3.5cm THICKNESS: 2cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 02/58/9

SUBSTANCE: indeterminate
Rock

OBJECT: metate

CATALOG #: 2/58/9-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 31 SURFACE HGT/LENGTH: - WIDTH: - THICKNESS: -

LEG(S) HGT/LENGTH: 7cm WIDTH: 5cm THICKNESS: 7cm

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/57/6

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/57/6-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34

LENGTH: 15cm WIDTH: 7cm THICKNESS: 4cm

VERBAL DESCRIPTION:

This is a whole mano. There is an area of heavy use on half of one side of the mano. It is smoothed and not polished.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/57/47

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/57/47-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34 SURFACE HGT/LENGTH: 4 cm WIDTH: 2.5 cm THICKNESS: 3.5 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

2/57/47-1

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/57/49

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/57/49-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34 SURFACE HGT/LENGTH: 4 cm WIDTH: 5 cm THICKNESS: 3 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June / 2006

LOT NUMBER: 2/57/49

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/57/49-2

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34 SURFACE HGT/LENGTH: 13cm WIDTH: 8.5cm THICKNESS: 4cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/05

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 02/56/05 - 1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 21cm WIDTH: 16cm THICKNESS: 7cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole ~~partial metate~~.

It is: a ~~working surface only~~ - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: ~~does - does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There ~~is~~ - is not a clear working surface. If a working surface is visible, it is: ~~smoothed only~~ - shows both smoothing and use polish - shows use polish only.

The use area: ~~does~~ - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 21cm x 16cm

For the underside: It ~~does - does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) ~~does - does not have manufacturing marks~~. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

middle piece: no edges

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/05

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 02/56/05 - 2

DRAWN BY: 17

CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 27.5cm WIDTH: 17cm THICKNESS: 4cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

27.5cm x 17cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/25

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/25-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 4 cm WIDTH: 4.5 cm THICKNESS: 4 cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 4 cm x 4.5 cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/27

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/27-1

DRAWN BY: 17 CATALOGED BY: 17 MICH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 15cm WIDTH: 18cm THICKNESS: 5cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does not show manufacturing marks If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 18cm x 15cm

For the underside: It does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/36

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/36-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 21.5 WIDTH: 9.5cm THICKNESS: 3cm

LEG(S) HGT/LENGTH: 3.5cm WIDTH: 4cm THICKNESS: 3cm

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: (s) - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 21.5cm x 9.5cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/39

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/39-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 11 cm WIDTH: 4 cm THICKNESS: 2 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: (s) is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 11 cm x 4 cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

this is a middle piece ∴ there are no edges

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/54

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/54-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 9 cm WIDTH: 8 cm THICKNESS: 3.5 cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: (s) - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does + does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 9 cm x 8 cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

no remaining edges - middle piece

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 02/54/57

SUBSTANCE: basalt

OBJECT: metate

CATALOG #:

DRAWN BY: 17 CATALOGED BY: 17 MCH

EXCAVATOR: 24 SURFACE HGT/LENGTH: 19 cm WIDTH: 13 cm THICKNESS: 5 cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does not extend to the side edge/edges
does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

10/12/06

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 02/54/65

SUBSTANCE: tuff

OBJECT: metate

CATALOG #: 02/54/65-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 7 cm WIDTH: 4.5 cm THICKNESS: 3.5 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate) pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate) pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

may be from same metate as 2/54/5-2

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 02/54/65

SUBSTANCE: Tuff

OBJECT: metate

CATALOG #: 2/54/65-2

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 5cm WIDTH: 4cm THICKNESS: 4.4cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - ~~partial metate~~

It is: ~~a working surface only~~ - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: ~~does~~ - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: ~~is not a clear working surface~~. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: ~~does~~ - does not extend to the side edge/edges
~~does~~ - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It ~~does~~ - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - ~~flattened~~ - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) ~~does~~ - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

may be part of same metate as 02/54/65-2

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 2/54/71

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/54/71-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 14 cm WIDTH: 10 cm THICKNESS: 3 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

14 cm x 10 cm

For the underside: It does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: untattered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/56/01

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/56/1-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34

LENGTH: 17cm WIDTH: 10cm THICKNESS: 10cm

VERBAL DESCRIPTION:

This is a half of a mano. There is a small chip from the distal end. It was used on all sides; smoothed only.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/03

SUBSTANCE: Tuff

OBJECT: metate

CATALOG #: 2/56/3-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 5cm WIDTH: 3.5cm THICKNESS: 2cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - ~~partial metate~~

It is: ~~a working surface only~~ - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: ~~does~~ - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: ~~(s)~~ is not a clear working surface. If a working surface is visible, it is: ~~smoothed only~~ - shows both smoothing and use polish - shows use polish only.

The use area: ~~does~~ - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 5cm x 3.5cm

For the underside: It ~~does~~ - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - ~~rounded~~
flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) ~~does~~ - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/03

SUBSTANCE: BASALT

OBJECT: metate

CATALOG #: 2/56/3-2

DRAWN BY: 17 CATALOGED BY: 17 MICH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 23 cm WIDTH: 13 cm THICKNESS: 4 cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 23 cm x 13 cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/03

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/3-3

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 34 SURFACE HGT/LENGTH: 10.5cm WIDTH: 8cm THICKNESS: 5.5cm

LEG(S) HGT/LENGTH: 2cm WIDTH: 5cm THICKNESS: 5cm

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does not extend to the side edge/edges
does not extend to the top and/or bottom edge(s)

The area showing use measures: 7.5cm x 5.5cm

For the underside: It does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are: 1

On the opposite side of the page, draw/trace the cross section at the base, if it preserved; draw/trace the shape near the junction with the underside.

The leg(s) does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaffected - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/56/04

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/56/4-1

DRAWN BY:

CATALOGED BY:

EXCAVATOR: 34 SURFACE HGT/LENGTH: 9.5cm WIDTH: 8cm THICKNESS: 3cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 9.5cm x 8cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

may be part of metate found in 02/56/03

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/56/04

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/56/04-2

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 34

LENGTH: 12.5cm WIDTH: 8.5cm THICKNESS: 6cm

VERBAL DESCRIPTION:

This is half of a mano. It has use wear on one side.
The used area is smoothed. The area is 12cm by 7cm.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/54/01

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/54/1 - 1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32

LENGTH: 4.5 WIDTH: 8cm THICKNESS: 6.5cm

VERBAL DESCRIPTION:

This is the middle part of a mano. It shows smoothing/use on all sides. ^{of wear}

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 02/54/04

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/54/4-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 7.5cm WIDTH: 4.5cm THICKNESS: 3.5cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

this piece is a chip from the bottom of a metate ∴
the working surface & edge are not part of the
piece - [unclear]

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 2/54/05

SUBSTANCE: tuff

OBJECT: metate

CATALOG #: 2/54/5-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 10 cm WIDTH: 8.5 cm THICKNESS: 3 cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges one side (A)
does - does not extend to the top and/or bottom edge(s) one side (B)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

worked on both sides
most likely not shaped as a metate

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 02/54/20

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/54/20-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 18cm WIDTH: 13.5cm THICKNESS: 5.5cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - ~~does not extend to the side edge/edges~~
~~does - does not extend to the top and/or bottom edge(s)~~

The area showing use measures: 13cm x 11cm

For the underside: It does - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 2/54/32

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/54/32-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 8 cm WIDTH: 5.5 cm THICKNESS: 2.5 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

middle piece of metate

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAISO
GROUND STONE CATALOG FORM

DATE: 4 JUNE 2006

LOT NUMBER: 2/54/45

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/54/45-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 12 cm WIDTH: 7 cm THICKNESS: 5 cm

LEG(S) HGT/LENGTH: WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: it does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments: 2/54/45/100

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 02/54/52

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/54/52-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 11 cm WIDTH: 16 cm THICKNESS: 4.5 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: ~~does not show manufacturing marks~~ If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There ~~is~~ is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
~~does~~ - does not extend to the top and/or bottom edge(s)

The area showing use measures: 11 cm x 16 cm

For the underside: It ~~does not show manufacturing marks~~ If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) ~~does not have manufacturing marks~~. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 02/40/37

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/40/37-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 27 SURFACE HGT/LENGTH: 12 cm WIDTH: 8.5 cm THICKNESS: 3 cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 12 cm x 8.5 cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 02/41/46

SUBSTANCE: basalt

OBJECT: ground stone

CATALOG #: 2/41/46-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 25

LENGTH: 7cm WIDTH: 4cm THICKNESS: 2.5cm

VERBAL DESCRIPTION:

This was a normal stone that was used for grinding.
Two sides were used.

1 = 4cm by 5.5cm area use wear

2 = 5cm by 3cm area use wear

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/4⁴¹/65

SUBSTANCE: basalt

OBJECT: ground stone

CATALOG #: 2/41/65-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 25

LENGTH: 11cm WIDTH: 7cm THICKNESS: 5cm

VERBAL DESCRIPTION:

This was a normal stone that was utilized as a mano. It has two faces of use wear.

1 = 11cm by 6cm

2 = 9cm by 4cm

2/41/65

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 02 / 41 / 74

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/41/74 - 1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 25

LENGTH: 24cm WIDTH: 9cm THICKNESS: 8cm

VERBAL DESCRIPTION:

Little use wear. 6cm x 4cm

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 02/41/87

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/41/87 -1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 25

LENGTH: 19cm WIDTH: 8cm THICKNESS: 7cm

VERBAL DESCRIPTION:

The mano is fairly unused. only one side shows some flattening indicative of use wear. The ~~side~~ area is also more smooth than the rest of the mano. ~~A little~~ About a quarter of the mano is missing. The use area is approximately 19cm by 7cm.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/52/47

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/52/47-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32

LENGTH: 9.5cm WIDTH: 7cm THICKNESS: 6cm

VERBAL DESCRIPTION:

This half of a mano. It shows heavy use wear on two (opposite) sides. The use wear is smooth, but there is no polish.

side 1 = 7.5 cm by 5cm use wear

side 2 = 8.5 cm by 6cm use wear

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 01/03/01

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 1/3/1-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 24 SURFACE HGT/LENGTH: 13 cm WIDTH: 9 cm THICKNESS: 7 cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges.
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 12 cm x 6 cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 2/04/04

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 2/4/4-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR:

LENGTH: 8.5cm WIDTH: 6cm THICKNESS: 7.5cm

VERBAL DESCRIPTION:

This is a middle piece of mano. It has heavy usewear on two opposite sides.

side 1 = 8.5cm by 6.5cm usewear

side 2 = 8.5cm by 6cm usewear

The areas are both smoothed & polished.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 JUNE 2006

LOT NUMBER: 02/9/1

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/9/1-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 5cm WIDTH: 6.5cm THICKNESS: 8.5cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

bottom piece; no working surface

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 10/5/06

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 10/5/6-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 14 SURFACE HGT/LENGTH: 5cm WIDTH: 4cm THICKNESS: 1cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does not extend to the side edge/edges
does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 06/12/7

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 6/12/7-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 28 SURFACE HGT/LENGTH: 12cm WIDTH: 10cm THICKNESS: 3cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 6.5cm x 10cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

may have been used to grind red pigment

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 6/12/1

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 6/12/1-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 28

LENGTH: 8cm WIDTH: 6cm THICKNESS: 6cm

VERBAL DESCRIPTION:

This is a half mano. It was heavily used on ~~the~~ ^{one} side.
The sides ~~were~~ ^{was both} smoothed and polished.
The use area is 7cm by 4cm.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 6/9/19

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 6/9/19-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: MAC(2)

LENGTH: 19cm WIDTH: 7cm THICKNESS: 6cm

VERBAL DESCRIPTION:

This is a partial mano. It shows use wear on all sides. It is in two pieces.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 06/09/04

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 6/9/4-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 2 SURFACE HGT/LENGTH:

WIDTH: THICKNESS:

LEG(S) HGT/LENGTH: 8cm

WIDTH: 6cm THICKNESS: 6cm

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 JUNE 2006

LOT NUMBER: 6/7/9

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 6/7/9-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 2 SURFACE HGT/LENGTH: 13cm WIDTH: 9cm THICKNESS: 8cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 06/7/6

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 6/7/6-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 2

LENGTH: 8cm WIDTH: 7.5cm THICKNESS: 5cm

VERBAL DESCRIPTION:

This is the distal end of a mano. It shows no use wear.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 03/10/10

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 3/10/10-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 23 SURFACE HGT/LENGTH: 8cm WIDTH: 7.5cm THICKNESS: 4cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole ~~partial~~ metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - ~~does not show manufacturing marks~~. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

really soft material - chips easily

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 3/10/10

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 3/10/10-2

DRAWN BY: CATALOGED BY:

EXCAVATOR: 23 SURFACE HGT/LENGTH: 8.5cm WIDTH: 7cm THICKNESS: 4.5cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

3/10/10
really soft material - chips easily

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 03/11/17

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 3/11/17-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 24 SURFACE HGT/LENGTH: 10cm WIDTH: 9cm THICKNESS: 4.5cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges

does - does not extend to the top and/or bottom edge(s) covers all surface

The area showing use measures: 10cm x 9cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

* partial metate with no remaining edges

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 03/14/03

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 3/14/3-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 23 SURFACE HGT/LENGTH: 14.5cm WIDTH: 12.5 THICKNESS: 5cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

this a middle piece ∴ no edges

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 03/14/13

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 3/14/13-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 23 SURFACE HGT/LENGTH: 7cm WIDTH: 7cm THICKNESS: 11cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - ~~partial metate~~

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: ~~does~~ - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: ~~is not a clear working surface~~. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: ~~does~~ - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It ~~does~~ - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) ~~does~~ - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

03/14/13

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 03/20/02

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 3/20/2-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 23 SURFACE HGT/LENGTH: 15cm WIDTH: 10.5cm THICKNESS: 2.5cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 12cm x 10.5cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded
flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 5/09/57

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 5/9/57-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: S.F. M. (4)

LENGTH: 6cm WIDTH: 5cm THICKNESS: 4cm

VERBAL DESCRIPTION:

This is the middle part of a mano. Two sides show use wear. They are smoothed, but not polished.

Use area 1 = 4cm by 5cm

Use area 2 = 3cm by 4cm

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
CATALOG FORM

DATE: 8 June 2006

LOT NUMBER: 5/9/57

SUBSTANCE: basalt

OBJECT: mano

CATALOG #: 5/9/57-2

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: S.E.M. (4)

LENGTH: 15cm WIDTH: 7cm THICKNESS: 6cm

VERBAL DESCRIPTION:

This is a whole mano. There is a chip out of one end.
There is only one use area. It is smoothed and polished.
The use area is 10cm by 4cm.

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 2 June 2006

LOT NUMBER: 05/9/59

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 05/09/59-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 4 SURFACE HGT/LENGTH: 15cm WIDTH: 13cm THICKNESS: 4cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There is: is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

1-10/1/2

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 4 June 2006

LOT NUMBER: 2/64/04

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/64/4-1

DRAWN BY: 17 CATALOGED BY: 17

EXCAVATOR: 32 SURFACE HGT/LENGTH: 20cm WIDTH: 15.5cm THICKNESS: 6.5cm

LEG(S) HGT/LENGTH:

WIDTH:

THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There (s) - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 20cm x 15.5cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

shaped differently on side edge versus top/bottom edge

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 2/60/17

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/60/17-1

DRAWN BY: 17 CATALOGED BY: 17 (MKH)

EXCAVATOR: 32 SURFACE HGT/LENGTH: 17cm WIDTH: 12cm THICKNESS: 3cm

LEG(S) HGT/LENGTH: 9.5cm WIDTH: 8cm THICKNESS: 5cm

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: partial 17cm x 11cm

For the underside: It does - does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.

The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.

Comments:

17/06/06

PROYECTO ARQUEOLÓGICO REGIONAL EL PARAÍSO
GROUND STONE CATALOG FORM

DATE: 1 June 2006

LOT NUMBER: 2/59/8

SUBSTANCE: basalt

OBJECT: metate

CATALOG #: 2/59/08-1

DRAWN BY: 17 CATALOGED BY: 17 MKH

EXCAVATOR: 32 SURFACE HGT/LENGTH: 9.5cm WIDTH: 7.5cm THICKNESS: 4cm

LEG(S) HGT/LENGTH:

WIDTH: THICKNESS:

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole - partial metate.

It is: a working surface only - a working surface with 1-2-3-4 legs - a leg only.

For a working surface: The surface: does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

There: is - is not a clear working surface. If a working surface is visible, it is: smoothed only - shows both smoothing and use polish - shows use polish only.

The use area: does - does not extend to the side edge/edges
does - does not extend to the top and/or bottom edge(s)

The area showing use measures: 9.5cm x 7.5cm

For the underside: It does not show manufacturing marks. If it does, they are (mark all that are appropriate): pecking - striations - grinding - smoothing - polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) - rounded - flattened - battered and/or chipped - damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete - a distal/end portion - a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved;
draw/trace the shape near the junction with the underside.


The leg(s) does - does not have manufacturing marks. If they are present, they include: pecking - striations - grinding - smoothing - polishing.

If broken, the broken surface is: unaltered - worn - battered - chipped.


Comments:




2/59/8-1



edge/surface




2/60/171



2/64/4-1



5/9/59-1




5/9/57-2

Handwritten notes, possibly describing a process or method.

Handwritten notes, possibly describing a process or method.

Handwritten notes, possibly describing a process or method.



5/9/57-1



3/20/2-1




3/14/13-1

3/14/31




surface only; no edges


3/11/17-1




3/10/10-2




3/10/10-1



6/7/6-1




6/7/9-1




just leg, no base attached


6/19/4-1

6/9/19-1






side end



6/12/1-1

6/12/71




1015/6-1




[Faint, illegible text, possibly bleed-through from the reverse side of the page]

2/9

2/9/9-1






2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050

2/4/4-1

1/3/1-1



Quaternary
glacial till

Argillaceous
sandstone

Artificially
excavated

Artificially
excavated

Artificially
excavated

1/3/1-1

Quaternary

glacial till

Artificially

excavated

Artificially

excavated

Artificially
excavated

Artificially
excavated

Artificially

excavated

Artificially
excavated

Artificially

excavated

Artificially


excavated

Artificially


excavated

Artificially

excavated




broken
edge




02/52/47-1

0.811150


0.000000




02/41/87-1




02/41/74-1




02/41/65-1






used
side
#2




used
side
#1


02/41/46-1



02/40/37-1



02/54/52-1



02/54/45-1




surface



underside

02/54/32-1



02/54/20-1




02/54/5-1

02/54/4-1




remaining underside

02/54/4-1



02/54f1-1





↑
broken edge

0215614-2


NOV 1952




02/56-4-1



02/56/3-3



02/56/3-2



02/56/3-1

DYFECT


10/22/20


10/22/20

10/22/20

02/56/1-170

the defect ends
This is a half of a
It was used for all







02/54/71-1

D

02/54/65-2



02/54/65-1



OP 02/54/57



surface



bottom

2/56/54-1





top surface




underside


2/56/39-1




2/56'1361



2156/27-1



2/56/05-2



256/05-1

Faint, illegible text, possibly bleed-through from the reverse side of the page.

the value of the... and...
the value of the... and...
the value of the... and...
the value of the... and...

2/57/49-2



2/57/49-1



2/57/47-1


REGISTRATION NO. 2157/6-1

2157/6-1


2157/6-1
DISTRICT COURT
LAWYER'S CHAMBERS

Area of Use
Wear

This is a whole
or half of
the total



2157/6-1



just leg - not base attached

2/58/9-1

D

2/58/531